## Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims:**

1.-35. (Canceled)

36. (New) A substituted triazolimone of the formula (Ia):

$$R^7$$
 $R^8$ 
 $X$ 
 $R^1$ 
 $R^2$ 
 $R^2$ 

wherein

R<sup>1</sup> represents hydrogen, fluorine, chlorine, bromine or iodine;

represents nitro, cyano, fluorine, chlorine, bromine, iodine,  $R^{13}$ ,  $-O-R^{13}$ ,  $-S-R^{13}$ ,  $-S(O)-R^{13}$ ,  $-SO_2-R^{13}$ ,  $-O-SO_2-R^{13}$ ,  $-SO_2-O-R^{13}$ ,  $-C(O)-O-R^{13}$ ,  $-NR^{13}R^{14}$ ,  $-SO_2-NR^{13}R^{14}$ ,  $-C(O)-NR^{13}R^{14}$ ,  $-NH-P(O)(OR^{13})(R^{14})$ ,  $-NH-P(O)(OR^{13})(OR^{14})$ , or a radical of the formula:

R<sup>7</sup> represents straight-chain or branched halogenoalkyl having 1 to 6 carbon atoms and 1 to 13 identical or different halogen atoms;

represents hydrogen, amino, cyano, straight-chain or branched alkyl having 1 to 8 carbon atoms, in each case straight-chain or branched alkenyl or alkinyl having 2 to 6 carbon atoms, straight-chain or branched halogenoalkyl having 1 to 6 carbon atoms and 1 to 13 identical or different halogen atoms, in each case straight-chain or branched halogenoalkenyl or halogenoalkinyl having 2 to 6 carbon atoms and 1 to 11 different halogen atoms, straight-chain or branched alkoxyalkyl having 1 to 4 carbon atoms in the alkoxy moiety and 1 to 4 carbon atoms in the alkyl moiety,

straight-chain or branched alkylideneimino having 1 to 8 carbon atoms, or cycloalkyl or cycloalkylalkyl each of which has 3 to 8 carbon atoms in the cycloalkyl moiety and, in the case of cycloalkylalkyl, has 1 to 4 carbon atoms in the alkyl moiety, and each of which is optionally monosubstituted or polysubstituted in the cycloalkyl moiety by identical or different halogen substituents;

- R<sup>12</sup> represents cyano or nitro;
- X represents oxygen or sulfur;
- R<sup>13</sup> and R<sup>14</sup> independently represent hydrogen or straight-chain or branched alkyl which has 1 to 8 carbon atoms and which is optionally monosubstituted or polysubstituted by identical or different substituents selected from the group consisting of:

halogen, cyano, carboxyl, carbamoyl, in each case straight-chain or branched alkoxy, alkoxyalkoxy, alkylthio, alkylsulphinyl, alkylsulphonyl, alkoxycarbonyl, alkoxycarbonyl, n,N-alkylaminocarbonyl, cycloalkylaminocarbonyl, N,N-dialkylaminocarbonyl, trialkylsilyl or alkylsulphonylaminocarbonyl, each of

9732750728

which has 1 to 8 carbon atoms in the individual alkyl moieties;

- R<sup>13</sup> and R<sup>14</sup> furthermore represent alkenyl or alkinyl, each of which has 2 to 8 carbon atoms and each of which is optionally monosubstituted or polysubstituted by identical or different halogen substituents;
- R<sup>13</sup> and R<sup>14</sup> furthermore represent cycloalkyl which has 3 to 7 carbon atoms and which is optionally monosubstituted or polysubstituted by identical or different halogen substituents or by straight-chain or branched alkyl having 1 to 4 carbon atoms, or represent C<sub>3</sub>-C<sub>7</sub>-cycloalkyl-C<sub>1</sub>-C<sub>3</sub>-alkyl;
- R<sup>13</sup> and R<sup>14</sup> furthermore represent arylalkyl or aryl, each of which has 6 to 10 carbon atoms in the aryl moiety and, when present, 1 to 4 carbon atoms in the straight-chain or branched alkyl moiety, and each of which is optionally monosubstituted or polysubstituted in the aryl moiety by identical or different substituents selected from the group consisting of:

halogen, cyano, nitro, in each case straight-chain or branched alkyl, alkoxy, alkylthio, alkylsulphinyl or alkylsulphonyl, each of which has 1 to 6 carbon atoms, in each case straight-chain or branched halogenoalkyl, halogenoalkoxy,

halogenoalkylthio, halogenoalkylsulphinyl or halogenoalkylsulphonyl, each of which has 1 to 6 carbon atoms and 1 to 13 identical or different halogen atoms, in each case straight-chain or branched alkoxycarbonyl or alkoximinoalkyl, each of which has 1 to 6 carbon atoms in the individual alkyl moieties, and phenyl which is optionally monosubstituted or polysubstituted by identical or different halogen substituents and/or by straight-chain or branched alkyl or alkoxy, each of which has 1 to 6 carbon atoms, and/or by straight-chain or branched halogenoalkyl or halogenoalkoxy, each of which has 1 to 6 carbon atoms and 1 to 13 identical or different halogen atoms.

- 37. (New) The substituted triazolinone according to claim 36, wherein
  - R<sup>1</sup> represents hydrogen, fluorine, chlorine or bromine;
  - R<sup>2</sup> represents nitro, cyano, fluorine, chlorine, bromine, R<sup>13</sup>, -O-R<sup>13</sup>, -S-R<sup>13</sup>,
    -S(O)-R<sup>13</sup>, -SO<sub>2</sub>-R<sup>13</sup>, -O-SO<sub>2</sub>-R<sup>13</sup>, -SO<sub>2</sub>-O-R<sup>13</sup>, -C(O)-O-R<sup>13</sup>, -NR<sup>13</sup>R<sup>14</sup>,
    -SO<sub>2</sub>-NR<sup>13</sup>R<sup>14</sup>, -C(O)-NR<sup>13</sup>R<sup>14</sup>, -NH-P(O)(OR<sup>13</sup>)(R<sup>14</sup>), -NH-P(O)(OR<sup>13</sup>)(OR<sup>14</sup>), or
    a radical of the formula:

 $R^8$ 

REINER FISCHER ET AL. USSN 08/470,563 REPLY TO OFFICE ACTION DATED JUNE 11, 2003 AMENDMENT DATED DECEMBER 11, 2003

9732750728

R<sup>7</sup> represents straight-chain or branched halogenoalkyl having 1 to 4 carbon atoms and 1 to 9 identical or different halogen atoms;

represents hydrogen, amino, cyano, straight-chain or branched alkyl having 1 to 6 carbon atoms, in each case straight-chain or branched alkenyl or alkinyl having 2 to 4 carbon atoms, straight-chain or branched halogenoalkyl having 1 to 4 carbon atoms and 1 to 9 identical or different halogen atoms, in each case straight-chain or branched halogenoalkenyl or halogenoalkinyl having 2 to 4 carbon atoms and 1 to 7 different halogen atoms, straight-chain or branched alkoxyalkyl having 1 to 3 carbon atoms in the alkoxy moiety and 1 to 3 carbon atoms in the alkyl moiety, straight-chain or branched alkylideneimino having 1 to 6 carbon atoms, or cycloalkyl or cycloalkylalkyl each of which has 3 to 7 carbon atoms in the cycloalkyl moiety and, in the case of cycloalkylalkyl, has 1 to 3 carbon atoms in the alkyl moiety, and each of which is optionally monosubstituted to tetrasubstituted in the cycloalkyl moiety by identical or different halogen

substituents;

- R<sup>12</sup> represents cyano or nitro;
- X represents oxygen or sulfur;
- R<sup>13</sup> and R<sup>14</sup> independently represent hydrogen or straight-chain or branched alkyl which has 1 to 6 carbon atoms and which is optionally monosubstituted by a substituent selected from the group consisting of:

cyano, carboxyl, carbamoyl, in each case straight-chain or branched alkoxy, alkoxyalkoxy, alkylsulphinyl, alkylsulphonyl, alkoxycarbonyl, alkoxycarbonyl, alkoxycarbonyl, N,N-dialkylaminocarbonyl, trialkylsilyl or alkylsulphonylaminocarbonyl, each of which has 1 to 6 carbon atoms in the individual alkyl moieties;

R<sup>13</sup> and R<sup>14</sup> furthermore represent straight-chain or branched halogenoalkyl having 1 to 4 carbon atoms and 1 to 9 identical or different halogen atoms, which is optionally substituted by C<sub>1-2</sub>-alkoxycarbonyl, C<sub>1-6</sub>-cycloalkylaminocarbonyl or cyano;

- R<sup>13</sup> and R<sup>14</sup> furthermore represent alkenyl or alkinyl, each of which has 2 to 6 carbon atoms and each of which is optionally monosubstituted or trisubstituted by identical or different halogen substituents;
- R<sup>13</sup> and R<sup>14</sup> furthermore represent cycloalkyl which has 3 to 6 carbon atoms and which is optionally monosubstituted to tetrasubstituted by identical or different halogen substituents or by straight-chain or branched alkyl having 1 to 3 carbon atoms, or represent C<sub>3</sub>-C<sub>6</sub>-cycloalkyl-C<sub>1</sub>-C<sub>2</sub>-alkyl;
- R<sup>13</sup> and R<sup>14</sup> furthermore represent phenylalkyl or phenyl, the phenylalkyl having 1 to 3

  carbon atoms in the straight-chain or branched alkyl moiety, and each of which is

  optionally monosubstituted to trisubstituted in the phenyl moiety by identical or

  different substituents selected from the group consisting of:

halogen, cyano, nitro, in each case straight-chain or branched alkyl, alkoxy, alkylthio, alkylsulphinyl or alkylsulphonyl, each of which has 1 to 4 carbon atoms, in each case straight-chain or branched halogenoalkyl, halogenoalkoxy, halogenoalkylthio, halogenoalkylsulphinyl or halogenoalkylsulphonyl, each of which has 1 to 4 carbon atoms and 1 to 9 identical or different halogen atoms, in each case straight-chain or branched alkoxycarbonyl or alkoximinoalkyl, each of

which has 1 to 4 carbon atoms in the individual alkyl moieties, and phenyl which is optionally monosubstituted or polysubstituted by identical or different halogen substituents and/or by straight-chain or branched alkyl or alkoxy, each of which has 1 to 4 carbon atoms, and/or by straight-chain or branched halogenoalkyl or halogenoalkoxy, each of which has 1 to 4 carbon atoms and 1 to 9 identical or different halogen atoms.

38. (New) The substituted triazolinone according to claim 36, which is 1-(4-cyano-2-fluorophenyl)-4-methyl-3-trifluoromethyl-1,2,4-triazolin-5-one of the formula:

39. (New) The substituted triazolinone according to claim 36, which is 1-(2-chloro-4-cyanophenyl)-4-methyl-3-trifluoromethyl-1,2,4-triazolin-5-one of the formula:

40. (New) The substituted triazolinone according to claim 36, which is 1-(2-fluoro-4-cyanophenyl)-4-methyl-3-trifluoromethyl-1,2,4-triazolin-5-thione of the formula:

The substituted triazolinone according to claim 36, which is 1-(2,5-41. (New) difluoro-4-cyanophenyl)-4-methyl-3-trifluoromethyl-1,2,4-triazolin-5-thione of the formula:

BRISCOE

42. (New) The substituted triazolinone according to claim 36, which is 1-(2-fluoro-4cyano-5-methoxyphenyl)-4-methyl-3-trifluoromethyl-1,2,4-triazolin-5-one of the formula:

9732750728

43. (New) The substituted triazolinone according to claim 36, which is 1-(4-cyano-3fluorophenyl)-4-ethyl-3-trifluoromethyl-1,2,4-triazolin-5-one of the formula:

The substituted triazolinone according to claim 36, which is 1-(5-44. (New)

9732750728

allylamino-4-cyano-2-fluorophenyl)-4-ethyl-3-trifluoromethyl-1,2,4-triazolin-5-one of the formula:

The substituted triazolinone according to claim 36, which is 1-(2,5-45. (New) difluoro-4-cyanophenyl)-4-methyl-3-trifluoromethyl-1,2,4-triazolin-5-one of the formula:

- 46. (New) A herbicidal or plant growth-regulating composition comprising an effective amount therefor of a substituted triazolinone according to claim 36 and a diluent.
- 47. (New) The herbicidal or plant growth-regulating composition according to claim 46, wherein the substituted triazolinone is selected from the group consisting of:
  - a) 1-(4-cyano-2-fluorophenyl)-4-methyl-3-trifluoromethyl-1,2,4-triazolin-5-one;
  - b) 1-(2-chloro-4-cyanophenyl)-4-methyl-3-trifluoromethyl-1,2,4-triazolin-5-one;
  - c) 1-(2-fluoro-4-cyanophenyl)-4-methyl-3-trifluoromethyl-1,2,4-triazolin-5-thione;

- d) 1-(2,5-difluoro-4-cyanophenyl)-4-methyl-3-trifluoromethyl-1,2,4-triazolin-5-thione;
- e) 1-(2-fluoro-4-cyano-5-methoxyphenyl)-4-methyl-3trifluoromethyl-1,2,4-triazolin-5-one;
- f) 1-(4-cyano-3-fluorophenyl)-4-ethyl-3-trifluoromethyl-1,2,4-triazolin-5-one;
- g) 1-(5-allylamino-4-cyano-2-fluorophenyl)-4-ethyl-3trifluoromethyl-1,2,4-triazolin-5-one; and
- h) 1-(2,5-difluoro-4-cyanophenyl)-4-methyl-3-trifluoromethyl-1,2,4-triazolin-5-one.
- 48. (New) A method of combating unwanted vegetation which comprises applying to such vegetation or to a locus from which it is desired to exclude such vegetation a herbicidally effective amount of a triazolinone according to claim 36.
- 49. (New) The method according to claim 48, wherein the triazolinone is selected from the group consisting of:
  - a) 1-(4-cyano-2-fluorophenyl)-4-methyl-3-trifluoromethyl-1,2,4-triazolin-5-one;

- b) 1-(2-chloro-4-cyanophenyl)-4-methyl-3-trifluoromethyl-1,2,4-triazolin-5-one;
- c) 1-(2-fluoro-4-cyanophenyl)-4-methyl-3-trifluoromethyl-1,2,4-triazolin-5-thione;
- d) 1-(2,5-difluoro-4-cyanophenyl)-4-methyl-3-trifluoromethyl-1,2,4-triazolin-5-thione;
- e) 1-(2-fluoro-4-cyano-5-methoxyphenyl)-4-methyl-3trifluoromethyl-1,2,4-triazolin-5-one;
- f) 1-(4-cyano-3-fluorophenyl)-4-ethyl-3-trifluoromethyl-1,2,4-triazolin-5-one;
- g) 1-(5-allylamino-4-cyano-2-fluorophenyl)-4-ethyl-3trifluoromethyl-1,2,4-triazolin-5-one; and
- h) 1-(2,5-difluoro-4-cyanophenyl)-4-methyl-3-trifluoromethyl-1,2,4-triazolin-5-one.
- 50. (New) A method for regulating the growth of plants which comprises applying to such plants or to a locus in which such plants are grown or are to be grown a plant growth regulating effective amount of a substituted triazolinone according to claim 36.
  - 51. (New) The method according to claim 50, wherein the triazolinone is selected

## from the group consisting of:

- a) 1-(4-cyano-2-fluorophenyl)-4-methyl-3-trifluoromethyl-1,2,4-triazolin-5-one;
- b) 1-(2-chloro-4-cyanophenyl)-4-methyl-3-trifluoromethyl-1,2,4-triazolin-5-one;
- c) 1-(2-fluoro-4-cyanophenyl)-4-methyl-3-trifluoromethyl-1,2,4-triazolin-5-thione;
- d) 1-(2,5-difluoro-4-cyanophenyl)-4-methyl-3-trifluoromethyl-1,2,4-triazolin-5-thione;
- e) 1-(2-fluoro-4-cyano-5-methoxyphenyl)-4-methyl-3trifluoromethyl-1,2,4-triazolin-5-one;
- f) 1-(4-cyano-3-fluorophenyl)-4-ethyl-3-trifluoromethyl-1,2,4-triazolin-5-one;
- g) 1-(5-allylamino-4-cyano-2-fluorophenyl)-4-ethyl-3trifluoromethyl-1,2,4-triazolin-5-one; and
- h) 1-(2,5-difluoro-4-cyanophenyl)-4-methyl-3-trifluoromethyl-1,2,4-triazolin-5-one.
- 52. (New) A substituted triazolinone of the formula (Ia"):

$$R^7$$
 $R^8$ 
 $X$ 
 $R^1$ 
 $R^{2-1}$ 

wherein

- R<sup>1</sup> represents hydrogen, fluorine, chlorine, bromine or iodine;
- R<sup>2-1</sup> represents fluorine, chlorine, bromine or iodine;
- R<sup>7</sup> represents straight-chain or branched halogenoalkyl having 1 to 6 carbon atoms and 1 to 13 identical or different halogen atoms;
- R<sup>8</sup> represents hydrogen, amino, cyano, straight-chain or branched alkyl having 1 to 8 carbon atoms, in each case straight-chain or branched alkenyl or alkinyl having 2 to 6 carbon atoms, straight-chain or branched halogenoalkyl having 1 to 6 carbon

> atoms and 1 to 13 identical or different halogen atoms, in each case straight-chain or branched halogenoalkenyl or halogenoalkinyl having 2 to 6 carbon atoms and 1 to 11 different halogen atoms, straight-chain or branched alkoxyalkyl having 1 to 4 carbon atoms in the alkoxy moiety and 1 to 4 carbon atoms in the alkyl moiety, straight-chain or branched alkylideneimino having 1 to 8 carbon atoms, or cycloalkyl or cycloalkylalkyl each of which has 3 to 8 carbon atoms in the cycloalkyl moiety and, in the case of cycloalkylalkyl, has 1 to 4 carbon atoms in the alkyl moiety, and each of which is optionally monosubstituted or polysubstituted in the cycloalkyl moiety by identical or different halogen substituents;

- $R^{12}$ represents cyano or nitro; and
- X represents oxygen or sulfur.
- 53. (New) A substituted triazolinone of the formula (Ib"):

$$R^7$$
 $R^{8-1}$ 
 $R^{12}$ 
 $R^{12}$ 
 $R^{12}$ 
 $R^{12}$ 

wherein

R<sup>1</sup> represents hydrogen, fluorine, chlorine, bromine or iodine;

R<sup>2</sup> represents nitro, cyano, fluorine, chlorine, bromine, iodine, R<sup>13</sup>, -O-R<sup>13</sup>, -S-R<sup>13</sup>,
-S(O)-R<sup>13</sup>, -SO<sub>2</sub>-R<sup>13</sup>, -O-SO<sub>2</sub>-R<sup>13</sup>, -SO<sub>2</sub>-O-R<sup>13</sup>, -C(O)-O-R<sup>13</sup>, -NR<sup>13</sup>R<sup>14</sup>,
-SO<sub>2</sub>-NR<sup>13</sup>R<sup>14</sup>, -C(O)-NR<sup>13</sup>R<sup>14</sup>, -NH-P(O)(OR<sup>13</sup>)(R<sup>14</sup>), -NH-P(O)(OR<sup>13</sup>)(OR<sup>14</sup>), or
a radical of the formula:

- R<sup>7</sup> represents straight-chain or branched halogenoalkyl having 1 to 6 carbon atoms and 1 to 13 identical or different halogen atoms;
- R<sup>8-1</sup> represents amino;
- R<sup>12</sup> represents cyano or nitro;
- X represents oxygen or sulfur;
- R<sup>13</sup> and R<sup>14</sup> independently represent hydrogen or straight-chain or branched alkyl which has 1 to 8 carbon atoms and which is optionally monosubstituted or polysubstituted by identical or different substituents selected from the group consisting of:

halogen, cyano, carboxyl, carbamoyl, in each case straight-chain or branched alkoxy, alkoxyalkoxy, alkylthio, alkylsulphinyl, alkylsulphonyl, alkoxycarbonyl, alkoxycarbonyl, N,N-alkylaminocarbonyl, cycloalkylaminocarbonyl, N,N-dialkylaminocarbonyl, trialkylsilyl or alkylsulphonylaminocarbonyl, each of which has 1 to 8 carbon atoms in the individual alkyl moieties;

- R<sup>13</sup> and R<sup>14</sup> furthermore represent alkenyl or alkinyl, each of which has 2 to 8 carbon atoms and each of which is optionally monosubstituted or polysubstituted by identical or different halogen substituents;
- R<sup>13</sup> and R<sup>14</sup> furthermore represent cycloalkyl which has 3 to 7 carbon atoms and which is optionally monosubstituted or polysubstituted by identical or different halogen substituents or by straight-chain or branched alkyl having 1 to 4 carbon atoms;
- R<sup>13</sup> and R<sup>14</sup> furthermore represent aryl, which has 6 to 10 carbon atoms in the aryl moiety and is optionally monosubstituted or polysubstituted in the aryl moiety by identical or different substituents selected from the group consisting of:

halogen, cyano, nitro, in each case straight-chain or branched alkyl, alkoxy, alkylthio, alkylsulphinyl or alkylsulphonyl, each of which has 1 to 6 carbon atoms, in each case straight-chain or branched halogenoalkyl, halogenoalkoxy, halogenoalkylthio, halogenoalkylsulphinyl or halogenoalkylsulphonyl, each of which has 1 to 6 carbon atoms and 1 to 13 identical or different halogen atoms, in each case straight-chain or branched alkoxycarbonyl or alkoximinoalkyl, each of which has 1 to 6 carbon atoms in the individual alkyl moieties, and phenyl which

is optionally monosubstituted or polysubstituted by identical or different halogen substituents and/or by straight-chain or branched alkyl or alkoxy, each of which has 1 to 6 carbon atoms, and/or by straight-chain or branched halogenoalkyl or halogenoalkoxy, each of which has 1 to 6 carbon atoms and 1 to 13 identical or different halogen atoms.

## 54. (New) A substituted triazolinone of the formula (Ic"):

$$R^7$$
 $R^{8-2}$ 
 $R^{12}$ 
(Ic")

wherein

R<sup>1</sup> represents hydrogen, fluorine, chlorine, bromine or iodine;

R<sup>2</sup> represents nitro, cyano, fluorine, chlorine, bromine, iodine, R<sup>13</sup>, -O-R<sup>13</sup>, -S-R<sup>13</sup>,

9732750728

 $-S(O)-R^{13}$ ,  $-SO_2-R^{13}$ ,  $-O-SO_2-R^{13}$ ,  $-SO_2-O-R^{13}$ ,  $-C(O)-O-R^{13}$ ,  $-NR^{13}R^{14}$ ,  $-SO_2-NR^{13}R^{14}$ ,  $-C(O)-NR^{13}R^{14}$ ,  $-NH-P(O)(OR^{13})(R^{14})$ ,  $-NH-P(O)(OR^{13})(OR^{14})$ , or a radical of the formula:

- $R^7$ represents straight-chain or branched halogenoalkyl having 1 to 6 carbon atoms and 1 to 13 identical or different halogen atoms;
- R8-2 represents hydrogen;
- $R^{12}$ represents cyano or nitro;
- X represents oxygen or sulfur;
- R<sup>13</sup> and R<sup>14</sup> independently represent hydrogen or straight-chain or branched alkyl which has 1 to 8 carbon atoms and which is optionally monosubstituted or

polysubstituted by identical or different substituents selected from the group consisting of:

halogen, cyano, carboxyl, carbamoyl, in each case straight-chain or branched alkoxy, alkoxyalkoxy, alkylthio, alkylsulphinyl, alkylsulphonyl, alkoxycarbonyl, alkoxycarbonyl, alkoxycarbonyl, N.N. dialkylaminocarbonyl, trialkylsilyl or alkylsulphonylaminocarbonyl, each of which has 1 to 8 carbon atoms in the individual alkyl moieties;

- R<sup>13</sup> and R<sup>14</sup> furthermore represent alkenyl or alkinyl, each of which has 2 to 8 carbon atoms and each of which is optionally monosubstituted or polysubstituted by identical or different halogen substituents;
- R<sup>13</sup> and R<sup>14</sup> furthermore represent cycloalkyl which has 3 to 7 carbon atoms and which is optionally monosubstituted or polysubstituted by identical or different halogen substituents or by straight-chain or branched alkyl having 1 to 4 carbon atoms;
- R<sup>13</sup> and R<sup>14</sup> furthermore represent aryl, which has 6 to 10 carbon atoms in the aryl moiety and is optionally monosubstituted or polysubstituted in the aryl moiety by identical or different substituents selected from the group consisting of:

halogen, cyano, nitro, in each case straight-chain or branched alkyl, alkoxy, alkylthio, alkylsulphinyl or alkylsulphonyl, each of which has 1 to 6 carbon atoms, in each case straight-chain or branched halogenoalkyl, halogenoalkoxy, halogenoalkylthio, halogenoalkylsulphinyl or halogenoalkylsulphonyl, each of which has 1 to 6 carbon atoms and 1 to 13 identical or different halogen atoms, in each case straight-chain or branched alkoxycarbonyl or alkoximinoalkyl, each of which has 1 to 6 carbon atoms in the individual alkyl moieties, and phenyl which is optionally monosubstituted or polysubstituted by identical or different halogen substituents and/or by straight-chain or branched alkyl or alkoxy, each of which has 1 to 6 carbon atoms, and/or by straight-chain or branched halogenoalkyl or halogenoalkoxy, each of which has 1 to 6 carbon atoms and 1 to 13 identical or different halogen atoms.